





Your Choice... Forever Best...

**Best Choice
Floors Protection
Manufacturing L.L.C.**

Solutions For:

- *Floor Protection*
- *Tape*
- *Foundation Waterproofing*





Your Choice..... Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C. BEST CHOICE Trading L.L.C.

CONTENTS

Company Profile	2
Founders Message	3
Products	
NEW IDEA - Floor Protection - Brown 3PLY Hard Sheet	4
Specifications of Brown 3PLY Hard Sheet	5
Advantages of using Brown 3PLY Hard Sheet	6
Government Evaluation Report, British Certificates & Awards	7
Advantages of Brown 3PLY Hard Sheet over Gypsum & Polythene Sheet	9
Advantages of Brown 3PLY Hard Sheet over Plywood & Polythene Sheet	10
NEW IDEA - Floor Protection - Blue 3PLY Polypropylene (PP) Plastic Sheet	11
Advantages of Blue 3PLY Polypropylene Plastic Sheet	11
Specifications for Blue 3PLY Polypropylene Plastic Sheet	12
Applications for Blue 3PLY Polypropylene Plastic Sheet	12
Certificates and Reports	16
Best Choice Tape	17
General Purpose Masking Tape	17
BOPP Adhesive Tape	18
Aluminium Tape	19
Duct Tape	20
Warning Tape	20
Foam Tape	21
Packaging Material	22
Corrugated 2PLY Roll	22
Stretch Wrap	22
Bubble Wrap	23

Annexes for the **NEW IDEA** Floor Protection - Brown **3PLY** Hard Sheet

- 🚧 Annex 1 - Product Evaluation Report from the Dubai Central Laboratory (Government of Dubai)
- 🚧 Annex 2 - Product tested according to BS EN 12310-2 & BS EN 12311-2 – Tear Resistance & Tensile Strength
- 🚧 Annex 3 - Product tested according to BS EN 1928 - Watertightness
- 🚧 Annex 4 - Product tested according to BS EN ISO 10545-5 – Impact (falling objects) resistance
- 🚧 Annex 5 - Bronze GAIA Award 2009-2010
- 🚧 Annex 6 - Method of Fixing the Brown **3PLY** Hard Sheet

Annex for the Floor Protection - Blue **3PLY** Polypropylene (PP) Sheet

- 🚧 Annex 7 – Dubai Central Laboratory Reports (Government of Dubai)



Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C. BEST CHOICE Trading L.L.C.

COMPANY PROFILE

Best Choice Floor Protection Manufacturing L.L.C. is one of the leading manufacturers and suppliers of flooring protection and all kinds of adhesive tapes. We supply to the UAE, GCC, and globally. Our **NEW IDEA** (Brown 3PLY Hard Sheet) is one of the most widely used products by construction companies in the U.A.E.

Al Jaber Group, Al Habtoor Engineering, Al Futtaim Carillion, Belhasa Engineering & Contracting, Al Shafar General Contracting, Al Naboodah Contracting, Arabian Construction Co., Al Fara'a General Contracting, and Al Rostamani-Pegel L.L.C. are just a few of our satisfied clients that have shared our products success in the market.

MISSION:

The Company is committed to establish a long-term business relationship, as we provide customer satisfaction and cost effective products to meet the needs of the construction, tape and the interiors design industry.

VISION:

Our responsibility is to provide high quality products that preserve the environment and create a better economy for the market we operate in.

PRODUCTS:

- **Temporary Floor and Wall Protection**
 - Brown 3PLY Hard Sheet – **NEW IDEA**
 - Polypropylene Corrugated Plastic Sheet

- **Best Choice Tape**

We are one of the leading manufacturers, suppliers and exporters of all kinds of tapes such as; Masking Tapes, BOPP Adhesive Tapes, Aluminum Tapes, Duct Tapes, Warning Tapes and Foam Tapes.

- **Paper and Plastic Packaging**

We are manufacturers of high quality 2PLY Corrugated Hard Sheet Roll. We can produce any length or weight that the customer requires. In addition, we are wholesalers/distributors of Packaging Material that we import from the USA, Malaysia and Saudi Arabia. This includes Stretch Wraps and special high quality Bubble Roll.



Your Choice Forever Best....

**BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.**

NEW IDEA

Founders Message

Maged Elias, Founder & CEO of Best Choice has a long tradition in the construction & packing industry and he consistently strives to develop & introduce new product offerings that meet and exceed the ongoing needs of our markets and customers.



“Best Choice takes great pride in being a provider of a wide range of quality products that are specially designed to fulfill flooring protection & packing material requirements.

Our innovative solutions satisfy the needs of low and high rise residential, industrial and commercial construction projects. Consequently, our products have been installed in major projects throughout the GCC; including airports, metro/subway systems, and large scale residential developments.”

BEST CHOICE



Your Choice.... Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

BROWN 3PLY HARD SHEET– NEW IDEA

This is one of 'Best Choice' premier products and the company is proud of the success of this **NEW IDEA**, since we are the only manufacturer in the GCC.

Brown **3PLY** Hard Sheet Roll is specially designed to give 100% protection for ceramic tiles. It is made of three layers, which include; Brown Polythene Plastic, Corrugated Hard Sheet & Flat Hard Sheet.



The Corrugated and Flat Hard Sheet are bonded together with a special adhesive, and the Brown Polythene Plastic is adhered on top of them, making it **waterproof, thicker and stronger**.

The Corrugated Hard Sheet, which is the bottom layer, is designed to be very strong to protect the ceramic / tiles from any damages or scratches. It is made of high quality raw material, easy to fix and remove, and is cost effective. In addition, 40% of this material is reusable.

This product has been evaluated by Dubai Municipality Central laboratory and attested by the BRE laboratory in London, U.K.

Construction companies in United Arab Emirates & GCC have approved the success and quality of this material. Moreover, Brown **3PLY** Hard Sheet gives **three times** more protection to your ceramic than Gypsum, Polythene and Plywood. It gives you the best quality protection at an economical price.

Disclaimer:

This material is not used for the protection of marble & granite tiles; for marble & granite tiles you must use Polypropylene Corrugated Sheets



Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

NEW IDEA


Specifications of Brown 3PLY Hard Sheet

Item Description:	Special High Quality: Brown 3PLY Hard Sheet, with Waterproof Brown Polythene Plastic, 3 timesthicker & stronger
Thickness:	≈ 3 mm
Width:	70 cm
Length	≈ 75 m
Size/Roll:	≈ 52.5 m²
Price/Roll:	AED 158.00
Price/m²:	AED 3.00

Brown Polythene Plastic

Corrugated Hard Sheet

Flat Hard Sheet



Disclaimer:

This material is not used for the protection of marble & granite tiles; for marble & granite tiles you must use Polypropylene Corrugated Sheets



Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

Advantages of Using Brown 3PLY Hard Sheet

Best Choice introduces Brown **3PLY** Hard Sheet as a green product for temporary floor protection.

Tests have been conducted to prove some of the advantages below:

- **Waterproof** - Brown **3PLY** hard sheet comes with a special waterproof layer providing 100% protection. It can be used in any kind of protection during construction including stairs, bathtubs, swimming pools etc.
- **Quality** - Brown **3PLY** Hard Sheet is manufactured from high quality raw materials, designed solely for temporary floor protection.
- **Saves Time** – Compared to other means of protection, Hard Sheet rolls are easy to fix and remove using special adhesive tape. (*Method of Fixing - Refer to Annex 6*)
- **Flexible** - Brown **3PLY** Hard Sheet is flexible, and can easily bend along the skirting of the floor or on the staircases.
- **Tear & Tensile Strength** - It has high tear & tensile strength that will help in preventing its tearing during normal working conditions.
- **Impact Resistance** - It has high impact resistance that protects the floor from damages during construction work.
- **Economical** - 40% of these rolls can be reused.
- **100% Recyclable** - This is one of the significant green features for Brown **3PLY** Hard Sheet.
- **Cost Saver** - Brown **3PLY** Hard Sheet is **613%** cheaper than Plywood & Polythene Sheet and **307%** cheaper than Gypsum Powder & Polythene Sheet.



Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

NEW IDEA

Government Evaluation Report, British Certificates & Awards

Approved by the Dubai Central Laboratory / Government of Dubai

Best Choice Floors Protection Manufacturing L.L.C. submitted a request to the Dubai Central laboratory – Research & Standardization management office for a study on “**Brown 3PLY Hard Sheet**”. The study will test its suitability for protecting the floors in general and ceramic tiles in specific during the construction period. **(Refer to Annex 1)**

Attested by Building Research Establishment (BRE) – London, UK

Certificates and reports were generated from the Building Research Establishment (BRE), London, UK for the purpose of testing and evaluating the product performance.

The tests conducted are as follows:

1. Tear Resistance BS EN 12310-2

In order to determine the product's tear resistance it was tested in accordance with BS EN 12310-2 "Flexible sheets for waterproofing - Determination of tear resistance - plastics and rubber sheets for roof waterproofing"

The results show that the product encountered tear strength that will help in preventing its tearing during normal working conditions.

(BRE report number 259348/R4 – Refer to Annex 2)

2. Tensile Strength BS EN 12311-2

In order to determine the product's tensile strength it was tested in accordance with BS EN 12311-2 "Flexible sheets for waterproofing - Determination of tensile properties of plastics and rubber for roof waterproofing"

The results showed that the product encountered tensile strength that will help in preventing its tearing during normal working conditions

(BRE report number 259348/R4 – Refer to Annex 2)

3. Water-tightness BS EN 1928

In order to determine the product's water tightness it was tested in accordance with BS EN 1928 "Flexible Sheets for Waterproofing - Bitumen, Plastic and Rubber Sheets for Roof Waterproofing - Determination of Water-tightness"

The results showed that the product has a sufficient resistance to water penetration. This will help protect the floor from any stains due to damage of the product by water.

(BRE report number 259348/R2 – Refer to Annex 3)



Your Choice Forever Best....

**BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.**

4. Impact (falling objects) resistance BS EN ISO 10545-5

In order to determine the product's impact resistance it was tested in accordance with BS EN ISO 10545-5 "Ceramic Tiles Part 5: Determination of Impact Resistance by Measurement of Coefficient of Restitution"

The test was repeated on ceramic tiles covered by the product to evaluate the new Coefficient of Restitution and the degree of damage of the ceramic tile made by the falling object. The results showed a reduction in the coefficient of restitution when covering the ceramic tiles with the product. This will help in reducing the effect of any impact forces due to any falling objects on the floors when covered with the product.

(BRE report number 259348/R1 – Refer to Annex 4)

Bronze Gaia Award 2009 & 2010

Best Choice Floors Protection Manufacturing L.L.C was amongst 3,143 exhibitors from around the world at the Big 5 Exhibition and won the Big 5 Bronze GAIA Award 2009 - 2010 for Brown **3PLY** Hard Sheet.

This award was presented for products that are **green** and innovative. Brown **3PLY** Hard Sheet excels beyond its competition, as it is a product that saves cost, time and energy. We also participated in "Project Qatar" exhibition in 2009 - 2010 and the GAIA Award has become a significant award for our product, since it doubled our sales in U.A.E and Doha.

(GAIA Award Certificate - Refer to Annex 5)



Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

NEW IDEA

The Cost of Brown 3PLY Hard Sheet Over Gypsum & Polythene Sheet

Save 307% with Brown 3PLY Hard Sheet Roll!

The table below shows sample computation of using Polythene Sheet and Gypsum Powder:

Description	Size	Price	Price/m ²
Gypsum Powder	Covering area 4 m ² /bag	14.00	3.50/m ²
Polythene Sheet 1000 gauge	3.60m x 11m (40 m ²)	68.00	1.70/m ²
Labor/Carpentry	1.00/m ²	2.00	2.00/m ²
Polish/Cleaning the floor	2.00/m ²	2.00	2.00/m ²
Total Cost of Polythene Sheet (1000gauge) and Gypsum Powder			9.20/m²
Total Cost of Brown 3PLY Hard Sheet			3.00/m²

As described in the sample computation above, using Polythene Sheet 1000 gauge and Gypsum Powder costs AED 5.20/m². Adding up AED 2.00/m² for the labor charges and AED 2.00/m² for the polishing / cleaning charges would give you a total cost of **AED 9.20/m²** which is noticeably more expensive than Brown **3PLY** Hard Sheets.

Advantages of Brown 3PLY Hard Sheet over Gypsum Powder and Polythene Sheet

- **Easier to Fix and Remove** - Applying Polythene Sheets and Gypsum powder is resource demanding and a time consuming procedure compared to Brown **3PLY** hard sheet, which is easy to fix and remove.
- **No Precautions Needed** – In order to remove the Gypsum Powder after a project has been completed,extra precautions need to be taken by the laborers as the removal process can potentially damage the protected area. In comparison, no extra precautions are needed when using Brown **3PLY** Hard Sheet.
- **Cost Effective** - As per the calculations above, using Gypsum Powder would give you a total cost of at least AED 9.20/m². Therefore, it clearly shows that using Brown **3PLY** Hard Sheet is much more cost effective than using the Gypsum Powder.

Disclaimer:

This document should not serve as a quotation for the product mentioned



Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C. BEST CHOICE Trading L.L.C.

The Cost of Brown 3PLY Hard Sheet Over Plywood & Polythene Sheet

Save 613% with Brown 3PLY Hard Sheet!

The table below shows sample computation of using Plywood and Polythene Sheet:

Description	Size	Price/Sheet	Price/ m ²
Plywood 6mm	1.20cm x 2.40 cm (2.88 m ²)	38.00	13.19/m ²
Polythene Sheet 1000 gauge	3.60m x 11m (39.6 m ²)	68.00	1.70/m ²
Labor /Carpentry	1 m ²	2.00	2.00/m ²
Cleaning the floor	1 m ²	1.50	1.50/m ²
Total Cost of Polythene Sheet (1000gauge) and Plywood			18.39/m²
Total Cost of Brown 3PLY Hard Sheet			3.00/m²

It is clear from the sample computation above that the cost for using Plywood and Polythene Sheet is 14.89/m². In addition, when the labor and cleaning charges are added the amount computes to **AED 18.39/m²** whereas Brown 3PLY Hard Sheet only costs **3.00/m²**.

Advantages of Brown 3PLY Hard Sheet over Plywood and Polythene Sheet:

- **Easier to Fix** - Applying plywood requires special equipment and carpenters unlike Brown 3PLY Hard Sheet.
- **Waterproof** - Since it is waterproof, there is no possibility of water leakage on the ceramic or tiles; however, plywood bends and deforms if water leakage occurs.
- **Prevents Damages and/or Scratches** - Plywood is compact and hard. If something falls on it, the force is transmitted through the plywood and damages the ceramic/tiles. However, the corrugation of the Brown 3PLY Hard Sheet provides resistance to any force applied to it.
- **Economical Price for Quality Product** – If Plywood was re-used three times, its cost would calculate to AED 6.13/m² for each use. Thus, even when re-using Plywood three times, Brown 3PLY Hard Sheet is still more cost effective.

Disclaimer:
This document should not serve as a quotation for the product mentioned




Your Choice..... Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

POLYPROPYLENE

BLUE 3PLYPOLYPROPYLENE CORRUGATED PLASTIC SHEET

We are one of the leading manufacturers of Polypropylene Corrugated Plastic Sheets in the U.A.E and GCC. We also manufacture waterproof membrane boards. With our state of the art European machines we can produce sheets/boards in various sizes and thickness, to suit the needs of the construction industry.



Polypropylene Corrugated Plastic Sheet is comprised of two outer layers and a vertical flute connecting these two surfaces. This design is specially constructed to protect Marble and Granite tiles. Polypropylene is a linear hydrocarbon polymer and it is one of the most versatile polymers available with applications, both as a plastic and as a fiber. It is an economical material that offers a combination of outstanding physical, chemical, mechanical and thermal properties not found in any other thermoplastic.

Advantages of Polypropylene Sheets:

- **Waterproof** – This is a unique feature of the product as it can be used to protect stairs, bathtubs, and swimming pools etc.
- **Saves Time** - It is very light and this makes it easy to fix & remove using adhesive tape.
- **Flexible** - It can be easily fabricated and reshaped according to the customers' preference.
- **Impact Resistance** - It has a high impact resistance property that aids it to handle heavy objects or machines during the finishing stage of construction work.
- **High Tensile Strength** -Its working temperature and tensile strength is superior to low or high density polyethylene.
- **Economical** - It can be re-used up to 4 times, hence saving time, cost and effort.
- **Recyclable** - Being “green”, it is 100% recyclable.
- **Chemical Resistance** –It has a chemical resistance against alkalis, acids & salts even at higher temperatures.
- **Thermal Insulator** – Polypropylene can withstand temperatures up to 70 C, therefore reducing heat transfer through walls and doors.



Your Choice..... Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.


Specifications of Polypropylene Corrugated Plastic Sheet:

Item Description:	Polypropylene Corrugated Plastic Sheet
Thickness:	2 mm, 3 mm, 4 mm & 5 mm
General Properties	Waterproof
	Impact Resistance
	Resistance against alkalis, acids, and salts
	Flexibility and Strength
	Easily fabricated and reshaped
	Reusable up to 3 to 4 times

**All colors are available upon request*

Applications of Corrugated Plastic Sheet:

- **Temporary Floor Protection and Wall Protection – NEW IDEA**
 - Corrugated Plastic Sheets can be fixed on the **walls and floors** to **protect** any surface.
 - It also has **impact resistance**, which prevents the tiles from **damages and scratches** caused by objects in contact with its surface.
 - Being **lightweight**, plastic sheets can be easily **applied** on ceramic / tile surface and cut into the required sizes and shapes.





Your Choice.... Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C. BEST CHOICE Trading L.L.C.

POLYPROPYLENE

Cost of Polypropylene Sheets over Plywood & Polythene Sheet

Save 315% with Polypropylene Sheets!

The table below shows sample computation of using Plywood and Polythene Sheet:

Description	Size	Price/Sheet	Price/ m ²
Plywood 6mm	1.20cm x 2.40 cm (2.88 m ²)	38.00	13.19/m ²
Polythene Sheet 1000 gauge	3.60m x 11m (39.6 m ²)	68.00	1.70/m ²
Labor /Carpentry	1.00 m ²	2.00	2.00/m ²
Cleaning the floor	1.00 m ²	1.50	1.50/m ²
Total Cost of Polythene Sheet and Plywood			18.39/m²
Total Cost of Polypropylene Sheets (3mm)			5.83/m²

Disclaimer: The items above should not serve as a quotation for the products mentioned

It is clear from the sample computation above that the cost for using Plywood and Polythene Sheet is 14.89/m². In addition, when adding the labor and cleaning charges the amount computes to AED 18.39/m². Thus, using Polypropylene sheets (3mm thickness) is more cost effective.

Advantages of Polypropylene Sheets over Plywood and Polythene Sheet:

- **Easier to Fix** - Applying plywood requires special equipment and carpenters unlike Polypropylene sheets which is very easy to apply and remove.
- **Waterproof** - Since it is waterproof, there is no possibility of water leakage on the ceramic or tiles; however, plywood bends and deforms if water leakage occurs.
- **Prevents Damages and/or Scratches** - Plywood is compact and hard. If something falls on it, the force is transmitted through the plywood and damages the ceramic/tiles. However, the corrugation of the Polypropylene sheets provides resistance to any force applied to it.
- **Economical Price for Quality Product** – If Plywood was re-used three times, its cost would calculate to AED 6.13/m². Thus, even when re-using Plywood up to three times, Polypropylene sheets are still more cost effective.
- **Lightweight** – Compared to Plywood, Polypropylene sheets can be easily **applied** on ceramic/tiles and cut into the required sizes and shapes.




Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

Applications of Corrugated Plastic Sheets: - Continued

- **Waterproof Membrane Protection**


We manufacture polypropylene protection boards which are used by construction companies in replacement of screed. It is usually a polypropylene based board, semi flexible and double layered with integrated vertical support spacers intervals. These plastic boards are attached to bituminous and/or rubber waterproof membrane protection.



Advantages of Waterproof Membrane Protection:

- Cost and time saving, as it replaces bituminous membrane application which is an expensive and time consuming process.
- It is a shock absorber, crack resistant under extreme pressure, and is also resistant to most chemicals.
- It does not absorb water which adds to the impermeability of the waterproof membrane. In addition, it does not rust, corrode, or rot.

Best Choice can manufacture the board in any size/thickness required. All technical data sheets are available upon request.



Factory / Office : P.O.Box: 81161 Dubai, U.A.E.

T: +971 4 339 6669, F: +971 4 339 6668, bchoice@emirates.net.ae, www.bchoicefloor.com



Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

POLYPROPYLENE

- **Advertising and Printing**

We manufacture and supply Polypropylene sheets that are used in promotional media, from large advertising posters to customized cards, sign boards, exhibition boards, shop window displays, pop-up displays, and digital printing etc. We also manufacture and supply PP Corona treated sheets for printing applications to the printing industry. All sheets are electro statically treated by the corona machine to allow special inks & adhesives to adhere on to the sheet. We ensure the quality of the sheets through our quality control team which tests the sheets on various parameters to provide maximum client satisfaction. Our products are highly recommended amongst our clients due to their excellent wear and tear resistance. All our sheets are UV stabilized for indoor and outdoor applications.



- **Pallet Partitioning**

Polypropylene sheets are also used as divider boards for the food & beverage industry and also for general packing purposes.

The sheets used in pallet packing can aid in reducing the breakage rate while transporting and packing fragile items such as glass bottles etc.





Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

Certificates and Reports

Test Reports from Dubai Laboratory / Government of Dubai

Best Choice Floors Protection Manufacturing LLC submitted samples to the Dubai Central laboratory – Research & Standardization management office at the “Engineering Materials Laboratory Section – Structural Unit” in order to test the “Blue **3PLY** Polypropylene Corrugated Plastic Sheet” for its suitability in protecting floors during the construction period. (**Refer to Annex 7**)

The tests conducted are as follows:

1. Water vapor Transmission of Insulation Materials ASTM E96-00

In order to determine the product’s water resistances, it was tested in accordance with the Standard Test Methods for Water Vapor Transmission of Materials ASTM E96-00.

This test method covers the determination of water vapor transmission (WVT) of materials through which the passage of water vapor may be of importance, such as paper, plastic films, and other sheet materials.

(DCL report number 2011049144)

2. Thermal Transmission Properties by Heat Flow Meter ASTM C518 : 2010

Standard Test Method for Steady-State Thermal Transmission Properties by Means of the Heat Flow Meter Apparatus, in accordance with ASTM C518:2010. This test method covers the measurement of steady state thermal transmission through flat slab specimens using a heat flow meter apparatus.

(DCL report number 2011037132)

3. Compressive Strength of Polypropylene Fluted Board DMS 18:2004

In order to determine the product’s strength and resistance, it was tested against the Standard Test Method for Compressive Strength of Polypropylene Fluted Boards DMS 18:2004.

(DCL report number 2011049286)



Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

**T
A
P
E**

BEST CHOICE TAPE

We are one of the leading manufacturers, suppliers, and exporters of all kinds of tapes, such as Masking tape, BOPP Adhesive tape, Aluminum tape, Duct tape, Warning tape and Foam tape. Branded as "Best Choice Tape", we manufacture and design our finished products with high quality material, which exceeds our customers' expectations.

"Stick with the best" is Best Choice Tapes' vision and the most trusted brand in the Middle East, GCC and globally.

We have a state-of-art manufacturing facility, with highly sophisticated machines to ensure that our product range is produced according to international standards.

General Purpose Masking Tape

Masking tape is resin impregnated crepe paper coated with a solvent based natural rubber adhesive.

It gives excellent holding strength from its natural rubber adhesive and the soft crepe paper makes it easy to wrap around any object. Once adhered to a surface, it can be removed leaving no residue. It is environmentally friendly and 100% recyclable.

Our masking tape can be widely used in painting, spraying, packaging, and bundling.



Width	Length	Packing	Color
1 inch	15 yards	36 rolls	White
1.5 inch	15 yards	24 rolls	White
2 inch	15 yards	24 rolls	White
3 inch	15 yards	12 rolls	White
1 inch	20 yards	36 rolls	White
1.5 inch	20 yards	24 rolls	White
2 inch	20 yards	24 rolls	White
3 inch	20 yards	12 rolls	White



****All sizes are available upon request***



Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

BOPP Adhesive Tape

These tapes are made of bi-axially oriented polypropylene (BOPP) film coated with acrylic water-based adhesive. We use high quality raw materials, which can withstand high temperatures and are solvent resistant. Our BOPP tape has a high tensile strength that aids it in high speed conversion. It also has a good puncture resistance over a wide range of temperatures. Since it is durable and environmentally friendly, it is not affected by moisture and does not wrinkle or shrink with environmental changes.



It is used in a limitless array of flexible packaging applications; from medium to heavy duty carton sealing, bundling and strapping.

Width	Length	Micron	Packing	Color
2 inch	40 yards	40 microns	36 rolls	Clear/Brown
3 inch	40 yards	40 microns	24 rolls	Clear/Brown
2 inch	50 yards	45 microns	36 rolls	Clear/Brown
3 inch	50 yards	45 microns	24 rolls	Clear/Brown
2 inch	100 yards	50 microns	36 rolls	Clear/Brown
3 inch	100 yards	50 microns	24 rolls	Clear/Brown

****All sizes are available upon request***





Aluminum Foil Tape

Aluminum foil tape also known as foil tape has adhesive on one side and a reflective aluminum foil on the other side. It is designed with an aggressive long lasting pressure-sensitive adhesive that shows superior bonding when exposed to both sub-zero and elevated temperatures. The UV resistant foil backing has excellent heat and light reflection to protect against high temperatures. It is an excellent barrier against moisture, dust, and flame which makes it ideal for harsh, long term outdoor environments. It is also crack resistant and flexible to lift around irregular or curved surfaces.



Being a thermal conductor for heating or cooling efficiency, it acts as a water proofing barrier & air leakage protection.

Our aluminum foil has excellent heat resistant quality, which makes it perfect for joining foil-faced fiberglass duct board or rock-wool insulation panels.

It is also widely used in the construction industry for pipe lagging, and in the HVAC industry for duct sealing and insulation. .

Width	Length	Packing
2 inch	15 yards	24 Rolls
2 inch	20 yards	24 Rolls
3 inch	15 yards	16 Rolls
3 inch	20 yards	16 Rolls



****All sizes are available upon request***



Duct Tape

This tape is a pressure-sensitive tape coated with polyethylene. Since it is a heavy duty tape that is durable, it is the top choice for maintenance and repair applications. It is used for sealing heating and ventilation (HVAC) ducts, wire protection, carpet joining, strapping and binding etc.

Duct tape is generally grey or black but also available in other colors.



Width	Length	Mesh	Packing
2 inch	15 yards	35 mesh	24 rolls
2 inch	20 yards	50 mesh	24 rolls
3 inch	15 yards	35 mesh	16 rolls
3 inch	20 yards	50 mesh	16 rolls

****All sizes are available upon request***



Warning Tape

It is a resilient non-adhesive plastic tape of a highly contrasting color combination such as; yellow-black or red-white to draw the attention of the passer-by. These tapes are mainly used in an area that is hazardous to visitors, during road works or in construction sites.

Width	Length	Color	Packing
1/3 inch	250 meters	White/Red	10 rolls
3 inch	250 meters	Black/Yellow	10 rolls

****All sizes are available upon request***





Your Choice Forever Best....

BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.

Foam tape

Single foam tape

It is a medium density closed cell foam tape coated on one side with high performance adhesive, and adhered on a siliconized paper liner. Due to its *density, it is extremely durable. In addition it has exceptional flexibility and conformability with strength and wear resistance.

It is suitable for commercial and general purposes, and it is also mainly used in the electronic industry for fixing parts.



Double foam tape

It is made from a high density, closed cell, cross-linked polyethylene foam coated with adhesive on both sides. It has superb general gap filling capabilities, and distributes stress uniformly when bonding to textured or irregular surfaces. It has a good resistance to humidity, mild acids, oil and grease etc. which makes it suitable for indoor and outdoor environments.

It is widely used for pipe insulations; floor and wall paneling trim molding, general mounting of mirror/glass, gasketing and splicing applications.



TAPE



Your Choice Forever Best....


**BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.**

PACKAGING MATERIAL

Corrugated 2PLY Roll

We manufacture corrugated 2PLY roll which is made of high quality raw material and adhesive. It is durable, flexible and economical and can be used for a variety of packing purposes. Being environmentally friendly it can be recycled. We offer standard sizes but our machines can also customize any size according to our client requirements. 2PLY Corrugated Roll is highly durable, eco-friendly and light weight.

It is one of the best means of packing any item you want.



Stretch Film

Best Choice is one of the leading manufacturers of high quality stretch film.

Our stretch film is made of linear low-density polyethylene (LLDPE), which is produced by copolymerization of ethylene with alpha-olefins, the most common of which are butene, hexene and octene. These alpha-olefins (hexene or octene) gives the stretch film more strength especially in respect of elongation at break and puncture resistance.

Hand roll stretch film is a stretchable plastic film that is used to unitize pallet loads and cartons. Its elastic properties helps to keep items tightly bound together for packing, shipping and storage.

Advantages of stretch film:

- It provides stability of the products or packages, on a pallet.
- It provides protection from dust and moisture
- It is the most cost effective way to keep loads secured on a pallet.
- It offers a more efficient way of handling and storing unit loads.





Your Choice Forever Best....

**BEST CHOICE Floors Protection Manufacturing L.L.C.
BEST CHOICE Trading L.L.C.**

Plastic Bubble Roll

Best Choice is one of the leading suppliers of Plastic Bubble Roll also known as Air bubble roll, a highly recommended product for protective and reusable packing, inner packing and fabrication.

The film is made of a multi-layer solid non-permeable film which **stops convective heat loss** and infiltration.

The air entrapped between the layers provides **excellent cushioning** against breakage and damage for fragile items during transport or storage.

It's **shock resistant** and **moisture proof** packing material makes it suitable to protect various products like furniture, glass, fragile products and auto parts etc.

We can supply any weight to satisfy customers' requirements.



PACKAGING MATERIAL

BEST CHOICE